

tamec

Tube curving

Carrelli avvolgitubo  
Hose reels



## inox50



50 x 38 x 38cm (0,072m<sup>3</sup>) kg 6

## inox100



50 x 45 x 49cm (0,110m<sup>3</sup>) kg 7,5

## inox50wall



44 x 37 x 44cm (0,071m<sup>3</sup>) kg 5

ITA

### INOX50

Avvolgitubo realizzato in acciaio INOX AISI 304. Maneggevole, pratico e particolarmente robusto. La sua struttura è garantita contro la ruggine e la corrosione.

- **Capacità** 50m. tubo da 1/2"
- **Attacco** con filettatura esterna 3/4"
- **Telaio e tamburo** in tubolare di acciaio INOX
- **Manovella e ferramenta** acciaio trattato in cataforesi
- **Cuscinetti** in materiale sintetico esenti da manutenzione
- **Ruote** 150mm in materiale sintetico con rivestimento in gomma

### INOX 100

Avvolgitubo realizzato in acciaio INOX AISI 304. Abbina ad un design di estrema eleganza il massimo della qualità e della durata. La sua struttura è garantita contro la ruggine e la corrosione.

- **Capacità** 100m. tubo da 1/2"
- **Attacco** con filettatura esterna 3/4"
- **Telaio e tamburo** in tubolare di acciaio INOX
- **Manovella e ferramenta** acciaio trattato in cataforesi
- **Cuscinetti** in materiale sintetico esenti da manutenzione
- **Ruote** 200mm in materiale sintetico con rivestimento in gomma

### INOX W/50

Avvolgitubo realizzato in acciaio INOX AISI 304. La soluzione per i problemi di spazio. Applicazione a parete mediante apposita staffa. La sua struttura è garantita contro la ruggine e la corrosione.

- **Capacità** 50m. tubo da 1/2"
- **Attacco** con filettatura esterna 3/4"
- **Telaio e tamburo** in tubolare di acciaio INOX
- **Manovella e ferramenta** acciaio trattato in cataforesi
- **Cuscinetti** in materiale sintetico esenti da manutenzione

ENG

Hose reel made of AISI 304 INOX steel. Manageable, practical and particularly strong. Its structure is guaranteed against rust and corrosion.

- **Capacity** 50 metre 1/2" hose
- Union with 3/4" **outer screw cutting**
- **Tube drum and structure** in stainless steel
- **Crank and hardware** cataphoresis treated steel
- Maintenance free **bearings** made in synthetic material
- 150mm **wheels** made of synthetic material with rubber belt

Hose reel made of AISI 304 INOX steel. This model combines an extremely elegant design with maximum quality and durability. Its structure is guaranteed against rust and corrosion.

- **Capacity** 100 metre 1/2" hose
- Union with 3/4" **outer screw cutting**
- **Tube drum and structure** in stainless steel
- **Crank and hardware** cataphoresis treated steel
- Maintenance free **bearings** made in synthetic material
- 200mm **wheels** made of synthetic material with rubber belt

Hose reel made of AISI 304 INOX steel. The solution to save space. Wall mount support with brackets. Its structure is guaranteed against rust and corrosion.

- **Capacity** 50 metre 1/2" hose
- Union with 3/4"
- **Tube drum and structure** in stainless steel
- **Crank and hardware** cataphoresis treated steel
- Maintenance free **bearings** made in synthetic material

## wall10inox



37 x 32 x 23cm (0,027m<sup>3</sup>) kg 3,6

### W10 INOX

Portatubo murale realizzato in acciaio INOX AISI 304 utile per raccogliere oltre al tubo da irrigazione, cavi elettrici, tubi aria compressa, ecc. Completo di tasselli per l'applicazione a parete. La sua struttura è garantita contro la ruggine e la corrosione.

- **Confezione** 10 pezzi

## gim50



50 x 38 x 38cm (0,072m<sup>3</sup>) kg 5

### G/50

Avvolgitubo realizzato in acciaio verniciato con polveri poliestere che garantiscono ottima resistenza agli agenti atmosferici.

- **Capacità** 50m. tubo da 1/2"
- **Attacco** con filettatura esterna 3/4"
- **Telaio e tamburo** in tubolare di acciaio
- **Manovella e ferramenta** acciaio zincato
- **Cuscinetti** in materiale sintetico esenti da manutenzione
- **Ruote** 150mm in materiale sintetico con rivestimento in gomma

## gim100



50 x 45 x 49cm (0,110m<sup>3</sup>) kg 7,5

### G/100

Avvolgitubo realizzato in acciaio verniciato con polveri poliestere che garantiscono ottima resistenza agli agenti atmosferici. Adatto per uso professionale.

- **Capacità** 100m. tubo da 1/2"
- **Attacco** con filettatura esterna 3/4"
- **Telaio e tamburo** in tubo di acciaio
- **Manovella e ferramenta** acciaio zincato
- **Cuscinetti** in materiale sintetico esenti da manutenzione
- **Ruote** 200mm in materiale sintetico con rivestimento in gomma

Hose wall holder. Made of AISI 304 INOX steel. Excellent to hold and hang hose reels, electric wires and all sort of tubes. Complete with brackets for wall mount. Its structure is guaranteed against rust and corrosion.

- **10 pieces** in each box


Hose reel made of varnished steel with polyester powder to guarantee excellent weather resistance.

- **Capacity** 50 metre 1/2" hose
- Union with 3/4"
- **Tube drum and structure** steel tube
- **Crank and hardware** in zinc-plated steel
- Maintenance free **bearings** made in synthetic material
- 150mm **wheels** made of synthetic material with rubber belt

Hose reel made of varnished steel with polyester powder to guarantee excellent weather resistance. Suitable for professional use.

- **Capacity** 100 metre 1/2" hose
- Union with 3/4" **outer screw cuttin**
- **Tube drum and structure** steel tube
- **Crank and hardware** in zinc-plated steel
- Maintenance free **bearings** made in synthetic material
- 200mm **wheels** made of synthetic material with rubber belt

## wall50



## gim100prof



44 x 37 x 44cm (0,071m<sup>3</sup>) kg 5

55 x 49 x 49cm (0,132m<sup>3</sup>) kg 10

88 x 62 x 83cm (0,452m<sup>3</sup>) kg 34

## margot



### W/50

Avvolgitubo realizzato in acciaio verniciato con polveri poliestere che garantiscono ottima resistenza agli agenti atmosferici. Applicazione a parete mediante apposita staffa.

- **Capacità** 50m. tubo da 1/2"
- **Attacco** con filettatura esterna 3/4"
- **Telaio e tamburo** in tubo di acciaio
- **Manovella e ferramenta** acciaio zincato
- **Cuscinetti** in materiale sintetico esenti da manutenzione

### PG/100

Avvolgitubo realizzato in acciaio verniciato con polveri poliestere che garantiscono ottima resistenza agli agenti atmosferici. La struttura di estrema robustezza è studiata per l'uso professionale. Dotato di sistema antiribaltamento.

- **Capacità** 100m. tubo da 3/4"
- **Attacco** con filettatura esterna 3/4"
- **Telaio e tamburo** in tubo di acciaio
- **Manovella e ferramenta** acciaio zincato
- **Cuscinetti** in materiale sintetico esenti da manutenzione
- **Ruote** 200mm in materiale sintetico con rivestimento in gomma

### ED/100

Avvolgitubo di estrema robustezza esempio di abbinamento tra design ed ergonomia. Unico nel suo genere è realizzato in tubi di acciaio verniciato con polveri poliestere. Valido aiuto per giardiniere, floristi, vivaisti e orticoltori per la manutenzione di impianti sportivi, comunità e vivai.

- **Capacità** 100m. tubo da 1"
- **Attacco** con filettatura esterna 1"
- **Telaio e tamburo** in tubo di acciaio
- **Ferramenta** acciaio zincato
- **Cuscinetti** in materiale sintetico esenti da manutenzione
- **Ruote** pneumatiche da 250mm.

Hose reel made of varnished steel with polyester powder to guarantee excellent weather resistance. Wall mount support.

- **Capacity** 50 metre 1/2" hose
- Union with 3/4" **outer screw cutting**
- **Tube drum and structure** steel tube
- **Crank and hardware** in zinc-plated steel
- Maintenance free **bearings** made in synthetic material

Hose reel made of varnished steel with polyester powder to guarantee excellent weather resistance. Its particularly strong structure has been studied for professional use.

Fitted with a system to prevent it from keeling over.

- **Capacity** 100 metre 3/4" hose
- Union with 3/4" **outer screw cutting**
- **Tube drum and structure** steel tube
- **Crank and hardware** in zinc-plated steel
- Maintenance free **bearings** made in synthetic material
- 200mm **wheels** made of synthetic material with rubber belt

Particularly strong hose reel, combining a unique design and ergonomics. It is unique of its kind, made of varnished steel tube with polyester powder. A great help for gardeners, flower growers, farmers, horticulturists and to maintain sport grounds, communities and garden centres.

- **Capacity** for 100 metre 1" hose
- 1" Union with **outer screw cutting**
- **Tube drum and structure** steel tube
- **Hardware** in zinc-plated steel
- Maintenance free **bearings** made in synthetic material
- Pneumatic 250mm. **wheels**

*tamec*  
*Tube curving*

Ta-Mec Officina Meccanica  
di Paolo Tagliabue e C. s.n.c.

Via Novellina 25/E 21019  
Somma Lombardo VA Italy  
Tel.+39 0331.2544.65  
Fax+39 0331.2544.24

<http://www.tamec.it> [info@tamec.it](mailto:info@tamec.it)

